

Index

- 3D see spatial, reconstruction
- 3D builder 113
- Abraben 145, 146
- absorb
 - gamma rays 14
 - neutrons 13
 - x-ray 9, 32, **38**
- ACI 131
- acuity 26
- Adams 112, 115
- adaptation see distortion
- aesthetic 92, 143, 149
- Ainsworth 152
- airport see security
- Akerstrom 14, 22, 46, 97, 115
- Allen 45, 75
- Andersen 14, 22, 46, 63, 75, 96, 115, 132
- angle see optical, viewing, views
- aperture see reduction screen
- apparent
 - depth 10, 107, 126
 - depth compression **108**, **111**, 123, 127, 145
 - layout 10, 14, 15, 50, 96, 100, **107**, 127, 151
 - shear 51, **108**
- architecture 145
- Arthur 92, 97, 105, 109, 127, 132, 133, 144
- Attree 131, 132
- Autocad 150
- automatic see scanner
- available see views, manufacturer
- background 29, 32, 112, 122, see also environment
- baggage 9, **11**, 61, see also inspection
 - rotating 13, 54
- Barfield 96
- Baruch 45, 75
- Bass 11, 133, 138, 142
- battery 11, 13, 45, 142
- Beall 97
- Bennett 14, 22, 46, 63, 75, 96, 115, 132
- Beurs 21
- Bex 30
- bias 14, 82, 114, 115, 138
- Biederman 24
- Bingham 46
- binocular see cue, viewing
- Bishop 129
- black hole **43**, 132
- body size 18, 146
- bomb 9, 11, 12, 26, 45, 133, see also battery, detonator, explosives, timing mechanism, wire
- Booth 92, 97, 109, 127, 132, 133, 144
- Börjesson 116
- Bouwmeester 149
- Bradshaw 144
- Braunstein 14, 22, 24, 46, 63, 75, 96, 112, 114, 115, 132
- Bressan 14, 22
- Buchroeder 151
- Bueren, van 149
- Bülthoff 14, 24, 63, 96, 97, 132
- bump 28, 33, 120, 148
- Busquets 96
- CAD 149, 150, 151
- calibration see coupling accuracy
- camera 10, 41, 151, see also views
 - distance see distance
 - DOF 10, **46**, 48, 97, 105, 145, 150
 - movement see movement
 - perspective correction see perspective
 - position 14, 59, **107**, 146, see also viewpoint control
 - range 10, **62**, 75, **83**, 89, 92, 105
 - range class **84**
 - viewing height see viewing
- cancer 14
- Castle 109, 129
- Caudek 116, 117
- Chiles 11, 133, 138, 142
- Chiruvolu 93
- cinema 15, 112, 126, 151, see also distortion
- Claessen 116
- clock see timing mechanism
- clutter see background, scene complexity
- Cole 97
- colour see pseudo-colour
- compensate see distortion, trade-off
 - distortion see distortion
 - oblique viewpoint 109, **126**
- complexity see scene complexity
- compression see apparent depth, MPEG
- computer aided design see CAD
- computer tomography see scanner-CT
- concept
 - solution 59
- concept solution 37, 54, **57**, see also price
- conflict see cue conflict
- connected see wire
- contrast see image
- control see viewpoint control
- Cooper 96
- Cornilleau-Pérès 46
- correct see also distortion
 - minimising, camera
 - perspective, geometric
 - inequivalence
 - ratio see ratio
- cost see price
- coupling 10
 - accuracy 10, 14, 34, 64, 98, 107, 109, 122, 127, 145, see also geometric
 - inequivalence, lag
 - and distortion **144**
 - method 34, 107, **109**, **117**, 120, 149
 - off-axis **109**, 117, 146, 148
 - on- versus off-axis 127, 144
 - on-axis 53, **109**, 117, 148
- CT see scanner-CT
- cue **17**, 21, 30, see also viewing
 - monocular versus binocular
 - accommodation 30
 - conflict **30**, 48, 96, 105, 117, 145, 146
 - contour 26, 28
 - enhancing 31, **43**
 - flatness 30, 95, 109, **114**, 127, **143**
 - from monitor **30**, 116, 143, see also inspection

- occlusion 9, **28**, see also
 - black hole
- parallax **22**, 96, 109, **116**, see
 - also movement, motion
- perspective 14, 53, **111**, see
 - also perspective
- relevant **25**, 31
- shading 29, 116, 120
- stereoscopic **12**, 21, **22**, 32, 43, 95, 144
- stereoscopic versus
 - parallax 97
- texture 110, 116
- weight **23**, 116
- Cumming 116, 129
- Cutting 109, 110, 111, 112, 113, 151
- database 24, 131
- Deering 93, 116
- degrees of freedom see camera
- delay see refresh rate, lag, timing mechanism
- Delft Virtual Window System
 - see DVWS
- density see material, sensor
- depth see cue, layout,
 - apparent
- detection see theory, task
- detonator 9, 44, **45**
- Diner 14
- direct see theory
- dislocation see geometric
 - inequivalence, coupling
- accuracy
- disparity see cue–stereoscopic
 - vertical 129
- display 12, 15, 149, see also
 - monitor
 - head mounted 152
 - virtual window **10**, 107, **110**, **143**
- distance
 - between views see views
 - camera 48, 109
 - camera versus viewing 80, 98, 107, **112**, 126, 127, 145, 151
 - viewing 15, 26, 29, 32, 93, 110
- distortion **15**, 34, 50, **107**, 151
 - acceptable 15, 112
 - adaptation time 117
 - by coupling method see coupling
 - by perspective combination **49**
 - by sensor line folding 43
 - compensation 109, 112, 128
 - insensitivity see geometric
 - inequivalence
 - minimising 31, 49, 110, 144
 - noticed **53**, 108, 118, **144**, 147
 - shear 144, 148
 - unnoticed 109, 118, **144**
- Djajadiningrat 116, 147, 150
- dominant eye 99, 127
- Doorn, van 96, 114, 116, 127
- Dorey 12, 45
- Dotzler 13
- Drascic 97, 117, 139, 146
- Droulez 46
- Durgin 115, 133
- DVWS **10**, **98**, 109, 131
 - scanner see scanner
- Dynasight 64, 79, 98, 122
- Eby 114
- ecological 18, see also theory–
 - direct
- Edelman 14, 24, 63, 96, 132
- Edgar 30
- edge
 - brightness see zero
 - crossing
 - sharp 25, 26, 31, 61, 63
- efficient **37**, 39, see also speed, price, views–useful
- EG&G Astrophysics 13, 40, 43, 138
- elicit see exploratory
 - behaviour
- Elliott 114
- enhanced see VR, cue
- environment 30, 118, 122, 146,
 - see also scene complexity, horizon
- ergonomic 11, 46, 143, 149
- error see viewpoint,
 - distortion, misinterpretation, false alarm
- Europscan 40, 42, 43, 133
- Evans 12, 43, 132
- existing see manufacturers, x-ray component
- expert 25, 133, 138
- exploratory behaviour **17**, 23, 152, see also movement
 - elicit 18, 31, 34, 123
- explosives 9, 11, 13, 44
- FAA 12, 45
- Fairchild 97
- false alarm 138
- fan-shaped beam see x-ray–
 - beam
- Farber 111, 112, 113, 114
- Federal Aviation
 - Administration see FAA
- Field 63
- Fikes 97
- film see cinema
- fishtank see coupling–off-axis
- fixation point **10**, 62, 98, **109**
- fluorescent screen 39, 41
- foam 13, **55**, 120, 134
- Follette 138
- Fore 97
- frame 109, 114, see also
 - reduction screen
 - rate see refresh rate, lag
- freight baggage see baggage
- Frost 14, 132
- Gaver 14
- generalised cone 24
- geometric correctness see
 - geometric inequivalence
- geometric inequivalence 15, 30, **33**, **107**, 151
 - and distortion 34, 50, 53, **111**
 - by lag 34, 107, **147**
 - human insensitivity 93, **112**
- geon see theory
- Gerhardstein 24
- Gibson 15, 17, 18, 31, 64, 110
- Gille 143
- Godber 12, 40, 43, 132
- Gogel 115
- Gonzalez 143
- Gooding 114
- Gourneri 110
- Graham 46, 97, 115
- grey levels see image
- Gruber 107, 111, 112, 113
- Haber 114
- Hagen 110, 111, 113, 114
- Halloran 14, 15, 111, 113, 114, 129
- hand baggage see baggage
- Harmon 45
- Harries 14, 24, 96
- Hayashibe 117
- Hayes 14, 22, 46, 97, 115
- Hays 123, 137
- head mounted display see
 - display
- Heath 14
- height see stair climbing, matching, ratio, viewing

- Heimann 40, 42, 43, 44, 48, 55,
131, 132, 133, 139
Henderson 13, 132
Hochberg 21, 23, 112, 114
Hoffman 14, 22, 46, 63, 75, 96,
115, 132
Holloway 143
Holzhausen 97
horizon 19, 30, 146
Hughes 38
Hwang 93
identification see material
image **10**, see also perspective,
television, noise
contrast 30, 32, 43, 64
grey levels 14, 43, 61, 75
medical x-ray 11, 14, 132,
138
on- and off-axis **109**, 145
processing 13, 24, 44, 109,
145, 151, see also
distortion
quality 14, 30, 37, 45, 143
resolution 10, 14, 39, **43**, 44,
61, 75, 139
retinal 20
static 15, 108, 110, 111, 151
images see views, matching
Imatron 44, 132
inconsistent see cue
information **17**
insensitivity see geometric
inequivalence
inspection
automatic see scanner
manual 9, **11**
natural **17**, 25, 30, 61, 68,
144
real baggage 131, 141
via monitor 14, **30**, 61, 63
interaction see exploratory
behaviour, viewpoint control
interface 11, 149, see also
coupling, viewpoint control
intuitive 14, 46, 150, see also
natural
Invision 13, 40, 132, 138
Isorad 13, 40
jerkiness see views–angle
between
Johnston 116, 129
Jones 110, 111, 114
Kappers 96, 114, 116, 127
Kersten 14, 96, 97, 132
Kim 114
Kirk 101, 120, 123, 137
Kirwan 152
Kjeldahl 116
Klint 176
knife 9, 25
knife 61
knives 11
knob see viewpoint control
knot 28, 33, 95, **97**, see wire
Koenderink 96, 114, 116, 127
Kohler 117
Kotowski 42
Kundel 11, 14, 26, 138, 139
Kurtz 97, 132
lag 65, 122, 134, 145, see also
refresh rate, geometric
inequivalence
landscape see bump
Larimer 143
Lastra 143
Lauver 11, 139
layout
apparent see apparent
Euclidean 15, **107**, 127
scene 25, 31, 111, 116
learning effect 12
Lester 97
Lind 116
Linkenbach 40, 41
Loker 14
Longuet-Higgins 14, 115
Looker 24, 96
Loomis 97
Loosen 80, 90, 101, 102, 137
Louwerse 149
Luff 14
luggage see baggage
Lumsden 15, 112
Magal 40
Maharaj 42
Major 14, 132
manipulate see task
manufacturers (of scanners)
37, 40
marker 11, 13, 44, 138
Marr 17, 20
Martin 143
Martin Marietta Aerospace 93,
132
matching
height 28, 33, 107
images **21**, 22, 32, 33
material
density 9, 13, **38**
identification 13, **38**, 42, 43,
see also pseudo-colouring
McVey 46, 63, 92, 112, 113, 133
mechanism see timing
mechanism, concept solution,
movement
medical see image
Meister 15
memory see views–storage,
views–prototypical
mental see compensation,
image processing
Merriott 97
method see viewpoint control
Metzger 27
Michell 63
Milders 116
Milgram 97, 105, 146
Miller 114
mirror 41, see also x-ray
monitor see cue, inspection,
fluorescent screen
monocular see viewing, cue,
dominant eye
Moore 114
motion parallax **22**, see also
cue
Motion Picture Expert Group
see MPEG
movement 10, see also camera,
exploratory behaviour,
viewpoint control
of scan mechanism 54
parallax **22**, 31, **109**, see also
cue
scaling 63, 88, 98
MPEG 143
multiple see scanner, sensor,
source, theory, views
Murphy 14, 132
natural 75, 87, 100, 145, see
also inspection, intuitive
need for
spatial impression 132, 153
neural 20
nitrogen 13, 14
Nodine 11, 14, 26, 139
noise 32, 41, 42, 144
Norman 97, 115, 153
Norusis 124, 126
oblique see compensate,
viewpoint
occlusion see cue, black hole
off-axis see image, coupling
Olson 115, 133
Olzak 26, 143
on-axis see image, coupling
Ono 116, 118
operationalized **12**, 142

optical angle 19, 29, 107, 146
 Origin Instruments 64, 98, 122
 Ouden, den 131, 138
 Overbeeke 10, 14, 75, 97, 98,
 116, 133, 146, 147, 150, 152
 Overveld 144
 Padmos 116
 parallax see cue, movement,
 motion
 Parker 97, 116, 129
 Parkes 14, 132
 Parrish 96
 Pasman 75, 107, 176
 patent 10
 Payne 112
 Pepper 97
 Perkins 112, 113
 Perotti 115, 153
 Perrett 14, 24, 96
 perspective
 combination **49**, 50, 56
 convergent **46**, 110
 correction camera 109, 145
 horizontal **47**
 moving camera 48
 optimising 55
 parallel **46**
 rotational 48
 shear **48**
 static camera **46**, 145
 unusual 17, 30, 37, 46
 vertical 47
 Petzold 108
 Philbeck 97
 photo see image, view
 picture see image, view
 Pinz 97
 Pirenne 107, 110, 111, 112, 114
 Poot, de 97
 position see camera, viewing,
 viewpoint control
 Poston 97
 price 9, 13, 145
 concept 58
 human inspection 132
 x-ray components 38, 39
 primal sketch 20
 Prime 116
 privacy 9, 136
 Proffitt 115, 116, 117, 133
 prototype see concept solution
 pseudo-colour 9, **13**, 43, 133,
 see also marker
 Purdy 112, 113
 Ramsey 113
 Ranadivé 14, 61, 75
 random dots 27, 28, 115, 117
 stereogram 155
 range see camera, viewpoint
 control–comfortable
 raster 109, 114
 ratio see also optical angle
 correct 66, 80, **81**, 101
 height 19, **123**
 width/height 29
 recognition see task
 reconstruction 13, 14, 44
 3D **17**, **21**, 111, 153
 geometric **111**
 human ability 112, 153
 recording see scanner, concept
 solution
 reduction screen 15, 31, **110**,
 113, 143
 reflect see x-ray mirror
 refresh rate 64, 122, 134
 Reichel 14, 22, 46, 97, 115
 Reinke 115, 133
 reliability 56, 59
 representation see
 reconstruction
 rescanning 13, 55
 resolution see image
 response see also ratio, bias
 time 66, 86, 88, 101, 120,
 125, 137, see also speed
 restricted views see camera–
 DOF
 rigid 14, 62, 83, 146, 148
 Robinson 12, 40, 43, 132
 Rogers 46, 97, 115, 129, 144
 Rosenberg 96
 Rosinski 111, 112, 113, 114
 rotate see baggage, scanner–
 CT, perspective
 safety see reliability, security
 Samadani 143
 saturation 66, **75**, 78, 101, 105
 scaling see movement
 scanner see also manufacturer
 automatic **131**, 138
 conventional 12, **13**, 55
 CT 13, 39, **44**, 132
 gamma **14**
 multiple views **54**
 neutron **13**
 rotating 44
 vapour **14**
 working principle 42
 scatter 9, 13, **38**, 42
 scene complexity 28, 45, 95,
 105, **106**, 118, 132, 139
 Scene Viewer 150
 Schlosberg 114
 Schwartz 97, 132
 Schweers 38
 security 11, 12, 132, see also
 reliability
 Sedgwick 21, 113
 Sellen 14
 sensor **38**, see also price
 density 32, 43, 45
 line **12**, **38**, 39, 42, 47
 multiple 57
 Serra 97
 shading see cue
 shape see layout
 Shapiro 14, 22, 46, 63, 75, 96,
 115, 132
 sharp see edge
 shear see apparent, distortion,
 perspective
 Sheridan 93
 shift see parallax cue
 shooting images see concept
 solution
 sign see marker
 Simon 142
 Singh 97
 size see body size
 Sleeper 113
 slice 12, 40, 42, 44, see also
 sensor line
 Smets 10, 14, 75, 97, 98, 107,
 116, 133, 147, 149, 150, 152
 Smith 107, 111, 112, 113
 smooth see views–angle
 between
 Snyder 61, 75, 143
 Sollenberger 97, 105
 source **37**
 multiple 57
 pulsating 58
 Spain 96, 97
 spatial see apparent layout,
 reconstruction
 speed
 angular 22
 inspection 9, 136, see also
 response time
 scanning 11, 13, **39**, 56
 stair climbing 18, 146
 Stappers 19, 75, 107
 Stassen 46
 Stein 40, 41
 Steinbach 116, 118
 stereoscopic see cue

- storage of view see views–
storage, views–prototypical
- Stratmann 10, 98, 133, 146
- Swartz 61, 75
- synopter 114
- task 17, see also stair climbing,
- wire tracing
 - analysis 11, 25, **152**
 - dependence 23, 31, 109,
129, **144**
 - detection 23, 25
 - inspection see inspection
 - manipulation 14, 31, 97
 - misinterpretation 67, 69
 - recognition 14, 20, 24, 25,
132, 136
 - relevant 17, 24, **25**, 44, 141
- technical concept see concept
solution
- telelens 110, 112, 151
- television 31, 112, 116, 144, 151
- theory
 - comparison 23, 24, 153
 - depth from parallax 22
 - detection 23
 - direct 17, **18**, 25, 146
 - geon 24
 - indirect **17**, 20, 25, 96
 - multiple viewpoint 14, **24**
 - perceptual 17
- Thomas 26, 143
- threshold 75, 80, 85
- visibility 43
- Tietz 115
- time see speed, response time,
timing mechanism,
distortion–adaptation time
- timing mechanism 9, 11, 45,
134
- Tittle 115, 153
- Tkacz 61, 75
- Todd 14, 22, 46, 97, 115, 153
- Toto 11, 139
- Townsend 14, 132
- tracking see viewpoint
- trade-off 14, 32, 75, 92, 121
- training 12, 138, 142
- transparent 9, 17, 61, 95, 97,
132
- Tsacoumis 12, 45
- turning knob see viewpoint
control
- Ullman 14, 96, 115
- update rate see refresh rate
- Uttal 45, 75
- vanishing point 28, 30, 146
- Venema 14
- Vianen 38
- view **10**
 - available 31, 33
 - optimal 14, 25, 31, 45, 93
 - orthogonal 25, 27, 29
 - prototypical 111
 - single 14, 30, 111, 151
- viewing
 - angle 97, see also optical
angle
 - distance see distance
 - height 19, 48, 50
 - monocular versus
binocular 15, 96, 101, 105,
109, **114**, 124, 127, 143
 - position 10, see viewpoint
 - range see camera range
- viewpoint 14, **107**
 - dislocation see geometrical
inequivalence
 - independency 24
 - measurement error **109**,
120, 124, see also coupling
accuracy
 - oblique 34, **109**, 110, 112,
146, see also compensate
 - selection see viewpoint
control
 - tracking 10, 11, 98, 107, 122,
151, see also Dynasight
- viewpoint control 10, 12, 133
- comfortable 63, 75, 136
- eye position 76, 109
- knob 31, 41, 87
- knob versus eye position
46, 50, 75, 88, 92, 133, 150
- views
 - angle between **11**, 14, 32,
59, **62**, 83, 89, 100, 102, 132
 - available 39, 131
 - averaging 32
 - distance see distance–
viewing
 - DOF see camera
 - maximum see x-ray
exposure
 - multiple 14, 22, 24, 37, 43
 - number of 10, 14, 45, 61, 75,
95, 102, 105, 138
 - orthogonal 13, 24, 26, 92,
139
 - prototypical **24**
 - required 10, 24, **25**, 45, 97,
153
 - single 14
 - storage 37, 41
 - useful 13, **24**, **25**, **45**, 141
- virtual reality see VR
- virtual window display see
display
- visibility see threshold, wire
- visual angle see ratio, viewing
angle, optical angle
- Vivid 40
- Voorhorst 97, 152
- VR 97, 143
 - augmented 146, 152
- Vyborny 14, 26
- Wald 14, 132
- Wallace 61, 75
- Wallis 63
- Ware 92, 96, 97, 109, 127, 132,
133, 144
- wavelength 38, 39
- Wickens 21, 115
- Williams 96
- Wilson 63
- wire
 - connecting objects 11, 27,
33, 75, 81
 - diameter 12, 26, 32, 45, 76
 - tracing 28, 95, 105, 132
 - visibility 26, 32, 75, 80
- Wloka 147
- Wooley 43, 132
- x-ray see also absorb, concept
solution, image, expert,
perspective, sensor, source,
scatter
 - absorb 13
 - beam 12, 38
 - component 37
 - exposure 10, 12, 13, 39, **42**,
133
 - medical see image
 - mirror 38, 59
 - zero-crossing **20**, 153
- Zorin 109, 151